Northwest Science
Volume 59 (1985)
Author and Subject Index

(Author headings are in capital letters)

Agropyron *see* wheatgrass
Alaska
  deer diet: Hanley, Spalinger, Hanley and Schoen, 10-16
  forest birds: Kessler and Kogut, 58-65
ANTHONY, R. G. and M. L. MORRISON. Influence of glyphosate herbicide on small mammal populations in western Oregon. 159-168.
Antilocapra *see* pronghorn
archaeology
  elk remains: McCorquodale, 192-197
Ardea *see* herons
ARTHUR, W. J. *see* Janke and Arthur, 221-229
ash, volcanic
  and owls: Grimm, Ratti and Friesz, 40-44

BAYER, R. D. Shiner perch and Pacific staghorn sculpins in Yaquina Estuary, Oregon. 230-240
birds
  bald eagles: Reynolds, Ertter, Broemeling and Howard, 93-96
  forest breeding: Medin, 45-52
  forest habitats: Kessler and Kogut, 58-65
  herons and food: Collazo, 144-146
  owls and ash: Grimm, Ratti and Friesz, 40-44
  and radionuclides: Markham and Halford, 180-184
  and river levels: Books, 304-312
Boise River
  eagles: Reynolds, Ertter, Broemeling and Howard, 93-96
BOOKS, G. G. Avian interactions with mid-Columbia River water level fluctuations. 304-312
Branta *see* geese
British Columbia
  ethnobotany (book review): Hunn, 241-242
BROEMELING, D. K. *see* Reynolds, Ertter, Broemeling and Howard, 93-96
building design
  wind load provisions: Perry and Scott, 252-271
BUSHAW, D. and S. C. SAUNDERS. The third constant. 147-158

campsites
  overuse indicators: Kellogg, 115-121
cattle grazing
  on shrubsteppe: Rickard, 66-72
Cervus *see* elk
cheatgrass communities
  shoot production: Rickard, 169-179
CHIN, S. L. *see* Heikkinen and Chin, 17-23
Clearwater River
  fish diet: Johnson, 1-9
COLLAZO, J. A. Food habits of nesting great blue herons at Heyburn State Park, Idaho. 144-146
Columbia River
  birds and water levels: Books, 304-312
  goose eggs: Rickard and Fitzner, 28-32
conifers
  foliage macrofossils: Dunwiddie, 185-191
Cottus *see* sculpins
Cymatogaster *see* perch

dace (*Rhinichthys*)
  speckled (*R. osculus*): Johnson, 1-9
DECALESTA, D. S. *see* Witmer and deCalesta, 122-125
deer (*Odocoileus*)
  Columbian white-tailed (*O. virginianus leucurus*): Smith, 243-251
  Sitka black-tailed (*O. hemionus sitkensis*): Hanley, Spalinger, Hanley and Schoen, 10-16
DEWEY, J. M. The propagation of sound from the eruption of Mt. St. Helens on 18 May 1980. 79-92
doves (*Zenaida*)
  mourning (*Z. macroura*): Markham and Halford, 180-184
DUNCAN, S. H. and J. W. WARD. The influence of watershed geology and forest roads on the composition of salmon spawning gravel. 204-212
DUNWIDDIE, P. W. Dichotomous key to conifer foliage in the Pacific northwest. 185-191

eagles (*Haliaeetus*)
  bald (*H. leucocephalus*): Reynolds, Ertter, Broemeling and Howard, 93-96
ectoparasites
  fleas and hosts: Hopkins, 108-114
  on gophers: Whitaker, Maser and Lewis, 33-39
  on mice: Whitaker, Smith and Maser, 319-322
education
  science teaching: Heikkinen and Chin, 17-23
elk (*Cervus*)
  in post-glacial times: McCorquodale, 192-197
  range: Leege and Godbolt, 134-143
  and roads: Witmer and deCalesta, 122-125
engineering
  wind load: Perry and Scott, 252-271
ERTTER, N. D. *see* Reynolds, Ertter, Broemeling and Howard, 93-96
ethnobotany
  book review: Hunn, 241-242
Euler-Mascheroni constant
  properties: Bushaw and Saunders, 147-158

fires
  and elk range: Leege and Godbolt, 134-143
  and landscape: Gruell, 97-107
  and wheatgrass: McShane and Sauer, 313-318
fish
  diet: Johnson, 1-9
  and herons: Collazo, 144-146
  salmon spawning grounds: Duncan and Ward, 204-212
  in Yaquina estuary: Bayer, 230-240
FITZNER, R. E. *see* Rickard and Fitzner, 28-32
fleas
  on gophers: Whitaker, Maser and Lewis, 33-39

fleas (cont.)
and hosts: Hopkins, 108-114
forests
and birds: Kessler and Kogut, 58-65
and breeding birds: Medin, 45-52
conifer fossils: Dunwiddie, 185-191
and elk: Witmer and deCalesta, 122-125
fires: Gruell, 97-107
fossils
conifer foliage: Dunwiddie, 185-191
FRIESZ, R. *see* Grimm, Ratti and Friesz, 40-44

geese (*Branta*)
Canada (*B. canadensis moffiti*): Rickard and Fitzner, 28-32
geology
stratiform ore deposits: Mills, 53-57
GODBOLT, G. *see* Leege and Godbolt, 134-143
gophers (*Thomomys*)
ectoparasites: Whitaker, Maser and Lewis, 33-39
grasshoppers (*Sanguinipes*)
and altitude: Price, 213-220
gravels
in salmon spawning grounds: Duncan and Ward, 204-212
grazing
by cattle: Rickard, 66-72
GRIMM, D. M., J. T. RATTI and R. FRIESZ. Effects of volcanic ash on food habits of burrowing owls at Moses Lake, Washington. 40-44
GRUELL, G. E. Fire on the early western landscape: an annotated record of wildland fires 1776-1900. 97-107
GUYER, C. and A. D. LINDER. Growth and population structure of the short-horned lizard (*Phrynosoma douglassi*) and the sagebrush lizard (*Sceloporus graciosus*) in southeastern Idaho. 294-303

HALFORD, D. K. *see* Markham and Halford, 180-184
Haliaeetus *see* eagles
HANLEY, K. A. *see* Hanley, Spalinger, Hanley and Schoen, 10-16
HANLEY, T. A., D. E. SPALINGER, K. A. HANLEY and J. W. SCHOEN. Relationships between fecal and rumen analyses for deer diet assessments in southeastern Alaska. 10-16
HANSEN, R. M. *see* McCracken, Uresk and Hansen, 24-27 and 272-278
HEIKKINEN, M. W. and S. L. CHIN. A survey of Idaho science teachers. 17-23
herbicides
and small mammals: Anthony and Morrison, 159-168
herons (*Ardea*)
great blue (*A. herodias*): Collazo, 144-146
HOPKINS, D. Host associations of Siphonaptera from central Oregon. 108-114
HOWARD, R. P. *see* Reynolds, Ertter, Broemeling and Howard, 93-96
HUNN, E. Review of 'Ethnobotany of the Nitinaht Indians of Vancouver Island.' 241-242

Idaho
bald eagle distribution: Reynolds, Ertter, Broemeling and Howard, 93-96
campsite overuse: Kellogg, 115-121
and early fires: Gruell, 97-107
elk range: Leege and Godbolt, 134-143
fish diet: Johnson, 1-9
forest birds: Medin, 45-62
herons: Collazo, 144-146
lizards: Guyer and Linder, 294-303
pollution and rabbits: Janke and Arthur, 221-229
pollution and wildlife: Markham and Halford, 180-184
science education: Heikkinen and Chin, 17-23

JANKE, D. H. and W. J. ARTHUR. Radionuclide transport by cottontail rabbits at a radioactive waste disposal area. 221-229
JOHNSON, J. H. Comparative diets of Paiute sculpin, speckled dace, and subyearling steelhead trout in tributaries of the Clearwater River, Idaho. 1-9

KELLOGG, E. A. Indicator species for assessing overuse of campsites. 115-121
KESSLER, W. B. and T. E. KOGUT. Habitat orientations of forest birds in southeastern Alaska. 58-65
KOGUT, T. E. *see* Kessler and Kogut, 58-65

lead
lead sulfide ores: Mills, 53-57
LEDER, J. E. *see* Sauer and Leder, 198-203
LEEGE, T. A. and G. GODBOLT. Herbaceous response following prescribed burning and seeding of elk range in Idaho. 134-143
Leptococcus *see* sculpins
LEWIS, R. E. *see* Whitaker, Maser and Lewis, 33-39
lice
on gophers: Whitaker, Maser and Lewis, 33-39
on mice: Whitaker, Smith and Maser, 319-322
lichens
on Mt. Baker: Ryan, 279-293
LINDER, A. D. *see* Guyer and Linder, 294-303
lizards
in Idaho: Guyer and Linder, 294-303

MCCORQUODALE, S. M. Archaeological evidence of elk in the Columbia basin. 192-197
MACCRACKEN, J. G., D. W. URESK and R. M. HANSEN. Habitat used by shrews in southeastern Montana. 24-27
Rodent-vegetation relationships in southeastern Montana. 272-278
MCSHANE, M.C. and R. H. SAUER. Comparison of experimental fall burning and clipping on bluebunch wheatgrass. 313-318
mammals, small
and fleas: Hopkins, 108-114
and herbicides: Anthony and Morrison, 159-168
and vegetation: MacCracken, Uresk and Hansen, 272-278
see also gophers; mice; rabbits
MARKHAM, O. D. and D. K. HALFORD. Effects of decreased effluents from nuclear fuel reprocessing on ^{137}Cs concentrations in wildlife. 180-184
MASER, C. *see* Whitaker, Maser and Lewis, 33-39; Whitaker, Smith and Maser, 319-322
mathematics
Euler-Mascheroni constant: Bushaw and Saunders, 147-158
MEDIN, D. E. Densities and nesting heights of breeding birds in an Idaho douglas-fir forest. 45-52
mice (*Peromyscus*)
and ectoparasites: Whitaker, Smith and Maser, 319-322
MILLS, J. W. Stratiform sedimentary lead sulfide ores of Bonanza Mine, Stevens County, Washington. 53-57

mining
lead sulfide ores: Mills, 53-57
mites
on gophers: Whitaker, Maser and Lewis, 33-39
on mice: Whitaker, Smith and Maser, 319-322
Montana
early fires: Gruell, 97-107
rodents and vegetation: MacCracken, Uresk and Hansen, 272-278
shrews: MacCracken, Uresk and Hansen, 24-27
MORRISON, M. L. *see* Anthony and Morrison, 159-168
Mount Baker, Wa
lichens: Ryan, 279-293
Mount St. Helens, Wa
eruption sound propagation: Dewey, 79-92
ash and owls: Grimm, Ratti and Friesz, 40-44

Nevada
early fires: Gruell, 97-107
nuclear fuel reprocessing
and wildlife: Markham and Halford, 180-184
nuclear waste disposal
and rabbits: Janke and Arthur, 221-229

Odocoileus *see* deer
Oncorhynchus *see* salmon
Oregon
deer: Smith, 243-251
early fires: Gruell, 97-107
ectoparasites on gophers: Whitaker, Maser and Lewis, 33-39
ectoparasites on mice: Whitaker, Smith and Maser, 319-322
elk: Witmer and deCalesta, 122-125
estuarine fish: Bayer, 230-240
fleas: Hopkins, 108-114
grasshoppers: Price, 213-220
herbicides: Anthony and Morrison, 159-168
owls (*Speotyto*)
burrowing (*S. cunicularia*) and ash: Grimm, Ratti, and Friesz, 40-44

perch (*Cymatogaster*)
shiner (*C. aggregata*): Bayer, 230-240
Peromyscus *see* mice
PERRY, D. C. and D. R. SCOTT. The rationale behind wind load provisions in the western United States, past and present. 252-271
Phrynosoma *see* lizards
plant communities
biomass: Rickard, 126-133
and cattle grazing: Rickard, 66-72
cheatgrass: Rickard, 169-179
and rodents: MacCracken, Uresk and Hansen, 272-278
wheatgrass: McShane and Sauer, 313-318
plant indicators
for campsite overuse: Kellogg, 115-121
plant studies
yellowcress: Sauer and Leder, 198-203
pollution
and goose eggs: Rickard and Fitzner, 28-32
and rabbits: Janke and Arthur, 221-229
and wildlife: Markham and Halford, 180-184
PRICE, L. W. Grasshoppers on snow in the Wallowa Mountains, Oregon. 213-220
pronghorn (*Antilocapra americana*)
and radionuclides: Markham and Halford, 180-184

rabbits (*Sylvilagus*)
mountain cottontail (*S. nuttalli*) and radionuclides: Janke and Arthur, 221-229
radionuclides
and rabbits: Janke and Arthur, 221-229
and wildlife: Markham and Halford, 180-184
RATTI, J. T. *see* Grimm, Ratti and Friesz, 40-44
REYNOLDS, T. D., N. D. ERTTER, D. K. BROEMELING and R. P. HOWARD. Winter distribution of bald eagles along a segment of the Boise River, Idaho. 93-96
Rhinichthys *see* dace
RICKARD, W. H. Experimental cattle grazing in a relatively undisturbed shrubsteppe community. 66-72
Biomass and shoot production in an undisturbed sagebrush bunchgrass community. 126-133
Shoot production and mineral nutrient assimilation in cheatgrass communities. 169-179
RICKARD, W. H. and R. E. FITZNER. Mineral content of Canada goose eggs and implications for environmental surveillance along the Columbia River. 28-32
rivers
see Boise River; Clearwater River; Columbia River
rodents
and vegetation: MacCracken, Uresk and Hansen, 272-278
Rorippa *see* yellowcress
RYAN, B. D. Lichens of Chowder Ridge, Mt. Baker, Washington. 279-293

sagebrush-bunchgrass communities
biomass production: Rickard, 126-133
Salmo *see* trout
salmon (*Oncorhynchus*)
spawning ground gravel: Duncan and Ward, 204-212
Sanguinipes *see* grasshoppers
SAUER, R. H. *see* McShane and Sauer, 313-318
SAUER, R. H. and J. E. LEDER. The status of persistent-sepal yellowcress in Washington. 198-203
SAUNDERS, S. C. *see* Bushaw and Saunders, 147-158
Sceloporus *see* lizards
SCHOEN, J. W. *see* Hanley, Spalinger, Hanley and Schoen, 10-16
science education
teacher survey: Heikkinen and Chin, 17-23
SCOTT, D. R. *see* Perry and Scott, 252-271
sculpins
Pacific staghorn (*Leptococcus armatus*): Bayer, 230-240
Paiute (*Cottus beldingi*): Johnson, 1-9
shrews (*Sorex*)
in Montana: MacCracken, Uresk and Hansen, 24-27
see also mammals, small
Siphonaptera *see* fleas
SMITH, M. A. *see* Whitaker, Smith and Maser, 319-322
SMITH, W. P. Current geographic distribution and abundance of Columbian white-tailed deer, *Odocoileus virginianus leucurus* (Douglas). 243-251
Sorex *see* shrews
sound propagation
of volcanic eruptions: Dewey, 79-92
SPALINGER, D. E. *see* Hanley, Spalinger, Hanley and Schoen, 10-16
Speotyto *see* owls

Thomomys *see* gophers
trampling
  plant indicators for: Kellogg, 115-121
trout (*Salmo*)
  steelhead (*S. gairdneri*): Johnson, 1-9

URESK, D. W. *see* MacCracken, Uresk and Hansen, 24-27 and 272-278
Utah
  early fires: Gruell, 97-107

volcanoes
  ash and owls: Grimm, Ratti and Friesz, 40-44
  eruption sound propagation: Dewey, 79-92

Wallowa Mountains, Or
  grasshoppers: Price, 213-220
WARD, J. W. *see* Duncan and Ward, 204-212
Washington
  ash and owls: Grimm, Ratti and Friesz, 40-44
  birds and river levels: Books, 304-312
  Bonanza mine ores: Mills, 53-57
  cattle grazing: Rickard, 66-72
  cheatgrass communities: Rickard, 169-179
  conifer foliage fossils: Dunwiddie, 185-191
  deer: Smith, 243-251
  elk: McCorquodale, 192-197
  goose eggs: Rickard and Fitzner, 28-32
  lichens: Ryan, 279-293
  sagebrush-bunchgrass communities: Rickard, 126-133
  salmon spawning gravels: Duncan and Ward, 204-212
  volcanic eruption sounds: Dewey, 79-92
  wheatgrass productivity: McShane and Sauer, 313-318
  yellowcress status: Sauer and Leder, 198-203
wheatgrass (*Agropyron*)
  bluebunch (*A. spicatum*): McShane and Sauer, 313-318
WHITAKER, J. O., Jr., C. MASER and R. E. LEWIS. Ectoparasitic mites (excluding chiggers), fleas, and lice from pocket gophers, *Thomomys*, in Oregon. 33-39
WHITAKER, J. O., Jr., M. A. SMITH and C. MASER. Mites and lice from mice of the genus *Peromyscus* from Oregon. 319-322
wind load
  provisions for: Perry and Scott, 252-271
WITMER, G. W. and D. S. DECALESTA. Effect of forest roads on habitat use by Roosevelt elk. 122-125
Wyoming
  early fires: Gruell, 97-107

Yaquina Estuary, Or
  fish: Bayer, 230-240
yellowcress (*Rorippa*)
  persistentsepal (*R. columniae*): Sauer and Leder, 198-203

Zenaida *see* doves